

chemical solutions ltd.

trace elemental analysis

Analytical Report

May 27, 2015

Stephanie Ray
BioRay, Inc.
23172 Alcalde Drive, Suite B
Laguna Hills, CA 92653

Page 1 of 1
WO Number: W15E0260


Client: BioRay, Inc.
Client #: B4672
Sample Type: Liquid Product-Mass
Collector: Client

Customer PO: 1423
Date Received: 5/7/2015
Date Completed: 05/26/2015
Discard Date: 06/10/2015

CSL# 15E0654 NDF Calm - Lot#: 031715

Parameter	Result	PQL	Method	Date	Analyst
Arsenic	<0.5 ug/g	0.5	ICP MS	05/11/15	EM
Cadmium	<0.25 ug/g	0.25	ICP MS	05/11/15	EM
Chromium	<0.5 ug/g	0.5	ICP MS/KED	05/26/15	EM
Lead	<0.05 ug/g	0.05	ICP MS	05/11/15	EM
Mercury	<0.1 ug/g	0.1	ICP MS	05/11/15	EM

Respectfully Submitted,
Chemical Solutions, Ltd.


Jessica Fultz
Quality Assurance Officer

JME
5.27.15

Notes:

- CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
- This report can only be reproduced in full.
- The units for the PQL are the same as those shown for the result.