



chemical solutions ltd.

trace elemental analysis

Analytical Report

January 31, 2014

Stephanie Ray
BioRay, Inc.
23172 Alcalde Drive, Suite B
Laguna Hills, CA 92653

Page 1 of 1
WO Number: W14A0724

Client: BioRay, Inc.
Client #: B4672
Sample Type: Liquid Product
Collector: Client

Customer PO: 1267
Date Received: 1/21/2014
Date Completed: 1/30/2014
Discard Date: 2/14/2014

CSL# 14A1625 NDF Focus - Lot#: 062713 Exp 06/18

Parameter	Result	PQL	Method	Date	Analyst
Arsenic	<0.5 ug/g	0.5	ICP MS	01/22/14	TG
Cadmium	<0.25 ug/g	0.25	ICP MS	01/27/14	TG
Chromium	<0.5 ug/g	0.5	ICP MS/KED	01/30/14	TG
Lead	<0.05 ug/g	0.05	ICP MS	01/24/14	CC
Mercury	<0.1 ug/g	0.1	ICP MS	01/22/14	TG

CSL# 14A1625

Parameter	Result*	Serving Size	Unit Weight	Specification
Arsenic	<0.5 ug/serving	1 mL	NA	NA
Cadmium	<0.25 ug/serving	1 mL	NA	NA
Chromium	<0.5 ug/serving	1 mL	NA	NA
Lead	<0.05 ug/serving	1 mL	NA	NA
Mercury	<0.1 ug/serving	1 mL	NA	NA

Respectfully Submitted,
Chemical Solutions, Ltd.

Ian Milnes
President

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.

This report can only be reproduced in full.

*Assuming a density of 1g/mL