

chemical solutions ltd.

trace elemental analysis

Analytical Report

June 4, 2015

Stephanie Ray
BioRay, Inc.
23172 Alcalde Drive, Suite B
Laguna Hills, CA 92653

Page 1 of 1
WO Number: W15F0087


Client: BioRay, Inc.
Client #: B4672
Sample Type: Liquid Product-Mass
Collector: Client

Customer PO: 1439
Date Received: 6/2/2015
Date Completed: 06/03/2015
Discard Date: 06/18/2015

CSL# 15F0229 NDF Happy - Lot#: 050715

Parameter	Result	PQL	Method	Date	Analyst
Arsenic	<0.5 ug/g	0.5	ICP MS	06/03/15	EM
Cadmium	<0.25 ug/g	0.25	ICP MS	06/03/15	EM
Chromium	<0.5 ug/g	0.5	ICP MS/KED	06/03/15	HD
Lead	<0.05 ug/g	0.05	ICP MS	06/03/15	EM
Mercury	<0.1 ug/g	0.1	ICP MS	06/03/15	EM

Respectfully Submitted,
Chemical Solutions, Ltd.



Jessica Fultz
Quality Assurance Officer

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.